

**GAF** **HydroStop**<sup>®</sup>  
Liquid Applied Roof System


**Silicone/Acrylic Hybrid  
over Granulated Asphaltic**



HydroStop-Silicone Hybrid over Granulated Asphaltic

Field Fabric Installation:

GAF Premium Acrylic HydroStop®  
Base Coat with GAF Premium  
Fabric (Two coats, with fabric  
embedded into the first coat)



Coating: GAF  
GAF High Solids Silicone  
Roof Coating

Base Coat: GAF  
Premium Acrylic HydroStop®  
Base Coat with Fabric

Primer: GAF  
UniBase Primer

Existing Substrate:  
Granulated Asphaltic

Surface Preparation:  
GAF Cleaning Concentrate (Substrate must be clean  
and dry prior to installing coating materials).

Notes:

Deck Type: Existing Deck

- Coating: GAF High Solids Silicone Roof Coating
- Field Fabric Installation: GAF Premium Acrylic HydroStop® Base Coat with Fabric
- Primer: GAF UniBase Primer
- Existing Surface Preparation: GAF Cleaning Concentrate
- Existing Substrate: Granulated Asphaltic
- Deck Type: Existing Deck

See Quick Spec in the Liquid-Applied Roofing Manual for Specific Instructions and Application Rates for Flashing Details/  
Penetrations, Seam/Joint Treatment, and Loose Seam Treatments.

# PREP

CLEAN & PRIME



## CLEANER

- 890506000 - GAF Cleaning Concentrate 1-GAL
- 890507000 - GAF Cleaning Concentrate 5-GAL

## PRIMER (Direct to Mod-Bit and BUR)

- 890223000 - GAF UniBase Primer 5 GAL
- 890502000 - GAF UniBase Primer 54-GAL

Priming of substrate is recommended and may be required. See GAF Liquid-Applied Roofing Manual at [gaf.com](http://gaf.com).

# BASE

REINFORCED



## Premium Acrylic HydroStop® BASE COAT

- 890024000 - Hydrostop® Base Coat - 5-GAL

## Reinforcing Fabrics

- 890061000 - 6" x 300' GAF Premium Fabric - 75 Rolls / Box
- 890063000 - 12" x 300' GAF Premium Fabric - 25 Rolls / Box
- 890067000 - 40" x 336' GAF Premium Fabric - 25 Rolls / Box

# TOP

REFLECTIVE



## GAF High-Solids Silicone Roof Coating

- 891416 GAF High Solids Silicone - Standard Colors - 5 GAL
- 891417 GAF High Solids Silicone - Standard Colors - 55 GAL

## Silicone Standard Colors

WHITE	LIGHT GRAY	DARK GRAY	TAN
-------	------------	-----------	-----



over existing Built-Up Roof (BUR) or Modified Bitumen Roof (Mod-Bit)

Miami-Dade NOA# 21-0105.10 - HydroStop® Maintenance Coating Systems - page 7 of 14



## Silicone Hybrid over Granulated Asphaltic Packaging and Coverage Rates

Based on minimum installation guidelines, reference GAF Liquid Applied Roofing Manual for coverage rate guidance.

PRODUCTS	UNIT'S PER PALLET	SQ'S PER PALLET	SQ'S PER UNIT
GAF Cleaning Concentrate 1-gal	180 Pails/ pallet	4,500 SQ / Pallet	25 SQ pail
GAF Cleaning Concentrate 5-gal	36 Pails/ pallet	4,320 SQ / Pallet	120 SQ pail
UniBase Primer 5-gal	36 Pails/ pallet	360 SQ / Pallet	10 SQ pail
HydroStop Base Coat with Fabric 5-gal	36 Pails/ pallet	72 SQ / Pallet	1.5 SQ / pail
Brush-Grade Flashing 2-gal	60 Pails/ pallet	6,000 LN.FT / Pallet	100 LN.FT / pail
Brush-Grade Flashing 5-gal	36 Pails/ pallet	9,000 LN.FT / Pallet	250 LN. FT / pail
40" Premium Fabric	25 Rolls/ pallet	250 SQ / Pallet	10 SQ / roll
12" Premium Fabric	25 Rolls/ box	7,500 LN. FT / Pallet	300 LN. FT / roll
GAF High Solids Silicone 5-gal	36 Pails/ pallet	65 SQ / Pallet	3.3 SQ / pail

The amount of coating required and number of coats is determined by duration and warranty specified. Coverage also varies with the specific substrate being coated; consult Technical Sales Representative for coverage rate guidance.

GAF and its representatives can not be responsible for variations in material needed and material costs.



# LIQUID-APPLIED

## ROOFING & WATERPROOFING

# Daniel Peña

GET PEACE OF MIND WITH A GAF PRO

305.812.6865

daniel.pena@gaf.com



Photo taken at #WALLOFWIND

There's a liquid solution for your roof - talk to GAF first