

GAF **HydroStop**[®]
Liquid Applied Roof System


**Silicone/Acrylic Hybrid
over Structural Concrete**



**Design
Services**

HydroStop-Silicone Hybrid over Structural Concrete

Field Fabric Installation:
GAF Premium Acrylic HydroStop®
Base Coat with GAF Premium
Fabric (Two coats, with fabric
embedded into the first coat)



Surface Preparation:
Dry Cleaning Method (Substrate must be clean
and dry prior to installing coating materials).

Deck Type: Structural Concrete

- Coating: GAF High Solids Silicone Roof Coating
- Field Fabric Installation: GAF Premium Acrylic HydroStop® Base Coat with Fabric
- Primer: GAF Multi-Purpose Primer
- Surface Treatment: GAF Barrierguard® Surface Coating
- Surface Preparation: Dry Cleaning Method
- Deck Type: Structural Concrete

See Quick Spec in the Liquid-Applied Roofing Manual for Specific Instructions and Application Rates for Flashing Details/
Penetrations, Seam/Joint Treatment, and Loose Seam Treatments.

PRIME

ENHANCED ADHESION



GAF Multi-Purpose Primer

- 891435000 - GAF Multi-Purpose Primer Part A - 4 GAL
- 891436000 - GAF Multi-Purpose Primer Part B - 1-GAL
- 891433000 - GAF Multi-Purpose Primer Part A - 1 GAL
- 891434000 - GAF Multi-Purpose Primer Part B - 1 PINT

Priming of substrate is recommended and may be required. See GAF Liquid-Applied Roofing Manual at gaf.com.

BASE

REINFORCED = LEAK FREE COVER



Premium Acrylic HydroStop® Base Coat

- 890024000 - Hydrostop® Base Coat 5-GAL
- 890023000 - Hydrostop® Base Coat LV 5-GAL

Reinforcing Fabrics

- 890061000 - 6" x 300' GAF Premium Fabric - 75 Rolls / Box
- 890063000 - 12" x 300' GAF Premium Fabric - 25 Rolls / Box
- 890067000 - 40" x 336' GAF Premium Fabric - 25 Rolls / Box

TOP

REFLECTIVE



GAF High-Solids Silicone Roof Coating

- 891416 GAF High Solids Silicone - Standard Colors - 5 GAL
- 891417 GAF High Solids Silicone - Standard Colors - 55 GAL

Silicone Standard Colors

WHITE	LIGHT GRAY	DARK GRAY	TAN
-------	------------	-----------	-----



over Structural Concrete Deck

FBC HVHZ FL20663-R25 (HVHZ) page 10 of 10 - HydroStop® Liquid Applied Roof System over Concrete Decks



Silicone/Acrylic Hybrid over Structural Concrete Packaging and Coverage Rates

Based on minimum installation guidelines, reference GAF Liquid Applied Roofing Manual for coverage rate guidance,.

PRODUCTS	UNIT'S PER PALLET	PER PALLET	PER UNIT
BarrierGuard 5-gal	36 Pails/ pallet	252 SQ / Pallet	7 SQ / pail
Multi-Purpose Primer 5-gal	36 Pails/ pallet	360 SQ / Pallet	10 SQ / pail
HydroStop Base Coat with Fabric 5-gal	36 Pails/ pallet	72 SQ / Pallet	2 SQ / pail
Premium Fabric 40"	25 Rolls/ pallet	250 SQ / Pallet	10 SQ / roll
Premium Fabric 12"	25 Rolls/ pallet	7,500 LN.FT / Pallet	300 LN.FT / roll
GAF High Solids Silicone 5-gal	36 Pails/ pallet	65 SQ / Pallet	3.3 SQ / pail

The amount of coating required and number of coats is determined by duration and warranty specified. Coverage also varies with the specific substrate being coated; consult Technical Sales Representative for coverage rate guidance.

GAF and its representatives can not be responsible for variations in material needed and material costs.



LIQUID-APPLIED

ROOFING & WATERPROOFING

Daniel Peña

GET PEACE OF MIND WITH A GAF PRO

305.812.6865

daniel.pena@gaf.com



Photo taken at #WALLOFWIND

There's a liquid solution for your roof - talk to GAF first