



HIGH SOLIDS SILICONE ROOF COATING

over primed BUR or MOD-BIT (smooth or granulated)



BLEED-BLOCK ASPHALT PRIMER



GAF HighSolids Silicone Roof Coating

Miami-Dade NOA# 23-1130.05 - page 13 of 14



PRIME


- 1 gal/sq (smooth)
- 1.5 gal/sq (granulated)



APPLY

- **One Coat Application**
- Ponding water resistant

GAF High Solids Silicone over Granulated or Smooth Asphaltic



Existing Substrate:
Granulated Asphaltic

Surface Preparation:
GAF Cleaning Concentrate (Substrate must be clean and dry prior to installing coating materials).

10-Year Rate	15-Year Rate	20-Year Rate
<p>1.75 Gal/Sq 27 DFT², mils 2.86 Sq per 5-gal pail</p>	<p>2.25 Gal/Sq 35 DFT², mils 2.22 Sq per 5-gal pail</p>	<p>2.50 Gal/Sq 39 DFT², mils 2 Sq per 5-gal pail</p>



HighSolids

Silicone Roof Coating


This isn't paint — it's **ROOFING**



CLEAN AND DRY



BLEED BLOCKING ON ASPHALT ROOFS



PREVENT LEAKS



PONDING WATER RESISTANT

PREP

CLEAN & PRIME



CLEANER

- 890506000 - GAF Cleaning Concentrate 1-GAL
- 890507000 - GAF Cleaning Concentrate 5-GAL

PRIMER

- 8922920PQ - GAF Bleed Block Asphalt Primer 5G
- 8923920PQ - GAF Bleed Block Asphalt Primer 54G

Priming of substrate is recommended and may be required. See GAF Liquid-Applied Roofing Manual at gaf.com.

SEAL

Prevent Leaks



Silicone Mastic

- 891508920AV - GAF Silicone Mastic 2 Gal Light Gray or White
- 891513920AV - GAF Silicone Mastic 20 oz - White 12 Tubes/Box

COAT



GAF High-Solids Silicone Roof Coating

- 891416 GAF High Solids Silicone - Standard Colors - 5 GAL
- 891417 GAF High Solids Silicone - Standard Colors - 55 GAL

*Custom color minimum is 50 Gal

GAF CLEANING CONCENTRATE

Roof Prep and Maintenance



890506000 - GAF Cleaning Concentrate 1 GAL
(25 SQ per 1-gal)

890507000 - GAF Cleaning Concentrate 5 GAL
(125 SQ per 5-gal)

Use GAF Cleaning Concentrate to clean:

- Uncoated roof substrates
- Metal roof and wall surfaces
- Concrete deck surfaces
- Concrete and masonry wall surfaces
- Existing roof coatings
- Existing deck coatings
- Existing wall coatings



GAF Cleaning Concentrate should be diluted at a 1 to 10 ratio (16oz per gal) with water



Apply the diluted cleaning solution to the substrate under low pressure at the rate of 150–200 ft² per gallon



Allow the solution to stand for a minimum of 15 minutes.



Open Dry Time: will remove dirt, pollutants and other contamination build-up even if the product dries prior to rinsing.

GAF Bleed-Block

Asphalt Primer



Single-Component Bleed Block Primer

- Compatible with GAF High Solids Silicone and GAF Acrylic Top Coats
- Allow 8 hours cure time prior to installing subsequent top coats.
- **Coverage:** 1 gal/sq (smooth) | 1.5 gal/sq (granulated BUR/Mod-Bit)

[DATA SHEET](#)

GAF Bleed-Block Asphalt Primer

Water-based acrylic primer used to provide bleed blocking on asphalt roofs.

8922920PQ - GAF Bleed Block Asphalt Primer 5G - 36 pails/ Pallet

8923920PQ - GAF Bleed Block Asphalt Primer 54G - 4 Drums / Pallet

GAF Silicone Mastic



GAF Silicone Mastic

- A thick, brush-grade, high-build silicone sealant
- An easy-to-use, flexible repair material that adheres to a variety of substrates

Usages/Substrates: For use on metal, TPO, PVC, Hypalon®, EPDM, smooth and granulated asphaltic, structural concrete, and SPF.

	Unit Size	Color	Item #
	20 oz. (12 per case)	White	891513920
	2 gal. (7.6 L)	White	891508920
	2 gal. (7.6 L)	Light Gray	891508419

SEAMS & DETAILS - COVERAGE RATES (Coverage based on 60 mil DFT. Actual coverage may vary.)

Width	Per Gallon	2-Gal Pail	20 oz Tube
2" Width	150 LF	300 LF	23 LF
6" Width	50 LF	100 LF	8 LF

WHITE

LIGHT GRAY

[DATA SHEET](#)



Packaging and Coverage Rates

Based on minimum installation guidelines, reference GAF Liquid Applied Roofing Manual for coverage rate guidance,.

PRODUCTS	UNIT'S PER PALLET	PER PALLET	PER UNIT
GAF High Solids Silicone 5-gal	36 Pails/ pallet	65 SQ / Pallet	3.3 SQ / pail
GAF High Solids Silicone 55-gal	4 Drums/ pallet	65 SQ / Pallet	3.3 SQ / pail
GAF Multi-Purpose Primer Part A 4.5-gal	36 Pails/ pallet	360 SQ / Pallet	10 SQ / pail
GAF Multi-Purpose Primer .5-gal	36 Pails/ pallet	360 SQ / Pallet	10 SQ / pail
GAF Bleed-Blocker Primer 5-gal	36 Pails/ pallet	65 SQ / Pallet	3.3 SQ / pail
GAF Silicone Mastic 2-gal	60 Pails/ pallet	6,000 LN.FT / Pallet	100 LN.FT / pail
GAF Silicone Mastic 20-oz	25 Boxes/ pallet	2,400 LN.FT / Pallet	12 Tubes / box
GAF Silicone Fibered Sealant 2-gal	36 Pails/ pallet	65 SQ / Pallet	3.3 SQ / pail
GAF Cleaning Concentrate 5-gal	36 Pails/ pallet	65 SQ / Pallet	3.3 SQ / pail

The amount of coating required and number of coats is determined by duration and warranty specified. Coverage also varies with the specific substrate being coated; consult Technical Sales Representative for coverage rate guidance.

GAF and its representatives can not be responsible for variations in material needed and material costs.



LIQUID-APPLIED

ROOFING & WATERPROOFING

Daniel Peña

GET PEACE OF MIND WITH A GAF PRO

305.812.6865

daniel.pena@gaf.com



Photo taken at #WALLOFWIND

There's a liquid solution for your roof - talk to GAF first